# Index

### Subjects

Acne fulminans, 351

Acne vulgaris

Acute Achilles tendonitis following oral isotretinoin, 250

Evaluation of topical isotretinoin, benzoyl peroxide gel and placebo, 165

Familial acne fulminans, 351

Seborrhoea, 173

Use of disability index, 1 Acrodermatitis continua, 376

Actinic dermatitis

with vitiligo-like depigmentation, 38

Actinic reticuloid, 94

Adenosine deaminase Activity in leprosy, 20

Adhesion molecules, 240

Adverse reactions

Acute Achilles tendonitis following isotretinoin, 250 Leukonychia due to cytostatic agents, 273

Amorolfine

Clinical and mycological diagnostic aspects of onychomycoses and dermatomycoses (Suppl.), 37

Comparative efficacy and safety of nail lacquer (Suppl.), 41, 44

Dose-finding study (Suppl.), 50

Double-blind comparison with bifonazole (Suppl.), 56 Growth inhibition of *Trichophyton mentagrophytes* 

(Suppl.), 13

Influence on the morphology of Candida albicans and Trichophyton mentagrophytes (Suppl.), 18

Loceryl nail lacquer (Suppl.), 26

Percutaneous absorption (Suppl.), 33

Preclinical data and mode of action (Suppl.), 8

Subungual antifungal activity (Suppl.), 29 Treatment of dermatomycoses (Suppl.), 2

Treatment of onychomycoses and dermatomycoses (Suppl.), 61

Amyloidosis

in association with Raynaud's phenomenon and livedo reticularis, 117

Angiokeratoma corporis diffusum, 56

Angioma, 458

Antiphospholipid syndrome, 266

Atopic eczema

Onycholysis in a patient treated with PUVA, 65

Prevalence, 385

Bacteriology

Bullous secondary syphilis, 44 Corvneforms from human feet, 102

Syphilis with clinical presentation of meningitis, 125

Basal cell epithelioma, 176, 360

Bullous diseases

Bullous secondary syphilis, 44 Cicatricial pemphigoid, 67

EB acquisita, 363 Junctional EB, 106

Lichen planus pemphigoides without bullae, 433

Lichen sclerosus, 354

Pemphigoid gestationis, 443

Calcipotriol

Use in HIV-related psoriasis, 343

Candidosis

Oral papillary plasmacytosis, 112

Capillaritis, 182

Carcinoma

of the breast, 321

of the larynx, 282

of the pancreas, 67

of the prostate, 206

Chondrosarcoma, 463

Cicatricial pemphigoid, 67

Chalazion, 441

Corticosteroids, 279

Corvneforms, 102

Crohn's disease

Pvoderma faciale, 460

Subacute cutaneous lupus erythematosus, 135

Cutis verticis gyrata, 349

Cyclosporin, 16

Acrodermatitis continua, 376

Recalcitrant pyoderma gangrenosum, 49

Toxic epidermal necrolysis, 264

Cylindromas

Clinicopathological features, 332

Cysts, 252, 346

Demodex, 152

Dermal hypoplasia, 24

Desensitization

Development of scar sarcoidosis, 369

Diphenylcyclopropenone, 316 Down's syndrome, 31

Elastosis perforans, 31 Embolism

Cholesterol embolism, 424

**Epidemiology** 

Benign pigmented lesions, 313 Hedgehog ringworm, 156 Prevalence of atopic eczema, 385

Profile of workload in dermatology, 407

Skin cancer/melanoma, 307

Epidermal naevus, 279 Epidermal proliferation, 316 Epidermolysis bullosa, 106

Presenting with localized facial blisters, 363

Epilepsy, 169

Erythema elevatum diutinum, 87

Factitious purpura, 238

Fluconazole

in the treatment of tinea corporis/cruris, 397 in the treatment of tinea pedis, 402

Follicle mites, 152

Genetics

Brooke-Spiegler syndrome, 332
Familial acne fulminans, 351
Familial redundant scalp, 349
Familial tufted angioma, 344
Hereditary hypotrichosis, 109
Palmoplantar keratoderma of Unna-Thost, 337

Glomus cell tumours

treatment by infra-red coagulation, 34

Granuloma annulare

in AIDS, 60

of fingers of a milkman, 63

Haemangiomas, 206 Hailey-Hailey disease, 201 Hair root, 99, 421 Herpes simplex, 201, 221

HIV

Acute monocyte leukaemia, 203 Disseminated granuloma annulare, 60

in association with pityriasis lichenoides et varioliformis acuta, 36

Localized crusted scabies, 339

Related psoriasis, 342

Widespread dermatophytosis due to Microsporum gallinae, 449

Human papilloma virus infection, 252 Hypotrichosis, 189

Inflammation, 413 Irritant dermatitis, 246

Juvenile macular degeneration, 189

Kaposi's sarcoma, 145 Keratoderma, 337

Langerhans cells, 13, 240 Langerhans cell histiocytosis, 275 Lasers, 178

Leprosy

Lymphocyte adenosine deaminase activity, 20

Leukaemia, 121, 203 Leukotrienes, 413 Lichen planus, 346, 433 Lichen sclerosus

with scalp involvement, 354

Lipoproteins, 211 Livedo reticularis, 117 Livedo vadculitis, 4 Lymphoma

Hypopigmented mycosis fungoides, 374 Mimicking peri-oral dermatitis, 132 Presenting as a giant ulcer, 379

Primary cutaneous multi-lobed B-cell lymphoma, 270

Melanoma

Complicated by schwannoma, 366

Fundamentals of screening campaigns, 307

Induction of malignant melanoma by sunbed use, 357

Metastases, 282, 321, 397 Methotrexate, 257

Monoclonal gammopathy, 137

Morphoea, 371

Mycology

Amorolfine nail lacquer 2% versus 5% (Suppl.), 41 Amorolfine in the treatment of onychomycosis and dermatomycoses (Suppl.), 61

Candida albicans and Trichophyton mentagrophytes (Suppl.), 18

Clinical manifestations of onychomycosis (Suppl.), 6 Clinical and mycological aspects of onychomycoses and dermatomycoses (Suppl.), 37

Comparative efficacy and safety of amorolfine nail lacquer, 5% (Suppl.), 44

Dose-finding study of amorolfine cream (Suppl.), 50

Double-blind comparison of amorolfine and bifonazole (Suppl.), 56

Fungal melanonychia, 83 Hedgehog ringworm, 156

Inflammatory ringworm with unusual features, 186 Loceryl nail lacquer, onychomycosis therapy (Suppl.),

26

Microsporum gallinae, 449

Percutaneous absorption of amorolfine (Suppl.), 33 Subungual antifungal activity of amorolfine (Suppl.),

Tinea corporis/cruris, 397

Tinea pedis, 402

Treatment of dermatomycosis and onychomycosis (Suppl.), 2

Trichophyton mentagrophytes (Suppl.), 13

Trichosporonosis, 79

Mycosis fungoides

Mimicking peri-oral dermatitis, 132

Myeloma, 275 Myiasis

due to Parasarcophaga argyrostoma, 261

Nail dystrophy

Distophalangeal metastasis of a chondrosarcoma, 463

Fungal melanonychia, 83

Leukonychia, 273 Onycholysis, 65

Subungal hyperkeratosis, 454

Necrobiotic disorders

Granuloma annulare in AIDS, 60

Knobbly granuloma annulare of fingers, 63

Systemic lupus erythematosus with rheumatoid nodules, 53

Neurofibromatosis, 27, 195

Occupational dermatoses

Knobbly granuloma annulare of fingers of a milkman, 63

Oxypentifylline, 371

Papilloma virus, 392

Peri-oral dermatitis, 132

Phaeohyphomycosis, 83

Pigmented naevi, 313

Pityriasis lichenoides

HIV seropositivity, 36

Plane xanthomas, 211

Plasmacytosis, 112

Porokeratosis, 178

Povidone iodine, 246

Primary biliary cirrhosis, 206

and generalized morphoea, 371

Pseudopelade, 305

**Psoriasis** 

Application of 13-cis-retinoid acid, 9

Cyclosporin therapy, 16

Methotrexate, 257

Selenium plasma levels, 214

Skin thickness, 324

Topical fish oil in psoriasis, 159

Unilateral subungual hyperkeratosis, 454

Use of calcipotriol in HIV-related psoriasis, 342

**PUVA** 

Onycholysis in a case of atopic eczema, 65

Pyoderma faciale, 460

Pyoderma gangrenosum, 49, 197, 437

Quality of life

Disability index in acne, 1

Effectiveness of pressure ulcer treatments, 328

Risk benefit ratio of cyclosporin for psoriasis, 16

Raynaud's phenomenon, 117

Retinoids

Achilles tendonitis following oral isotretinoin, 250

13-cis-retinoic acid in chronic plaque psoriasis, 9

Topical tretinoin, 163

Review article

Follicle mites and their role in disease, 152

Immunogenetic background of scleroderma, 73

Mucocutaneous infections, 221

Prevalence of atopic dermatitis, 385

What is pseudopelade? 305

Rheumatoid nodules, 53

St John's Oration

the Enigma of Kaposi's sarcoma, 145

Sarcoidosis

presenting with granulomatous reaction confined to

red tattoos, 446

of the tongue, 47

Scabies, 339

Schwannoma, 366

SCUR abstracts, 284

Seborrhoea, 173

Selenium, 214

Skin

cancer, 307

thickness, 324

Subacute lupus erythematosus, 135

Sunbeds, 357

Syndrome

Goltz syndrome, 24

Leopard syndrome, 13

- Systemic lupus erythematosus, 53 Systemic sclerosis, 73, 127, 208
- Therapy Amorolfine cream 0.125%, 0.25% and 0.5% (Suppl.),
  - Amorolfine nail lacquer 5% in onychomycosis, (Suppl.), 44
  - Amorolfine nail lacquer 2% versus 5% (Suppl.), 41 Amorolfine in treatment of onychomycoses and dermatomycoses (Suppl.), 61
  - Comparison of amorolfine and bifonazole, (Suppl.) 56 Crodermatitis continua responding to cyclosporin, 376
- Data and mode of action of amorolfine (Suppl.), 8 Dermatomycoses and onychomycoses (Suppl.), 2
- Efficacy of methotrexate in psoriasis, 257 Fluconazole in treatment of tinea corporis/crurus, 397 Fluconazole in treatment of tinea pedis, 402
- ILVEN responding to occlussive topical steroid, 279 Loceryl nail lacquer (Suppl.), 26
- Multiple glomus cell tumours—treatment by infra-red coagulation, 34
- Pemphigoid gestationalis, 443
- Percutaneous absorption of amorolfine (Suppl.), 33
- Pyoderma gangrenosum treated with topical nitrogen mustard, 437
- Recalcitrant pyoderma gangrenosum successfully treated with cyclosporin A, 49
- 13-cis-retinoic acid, 9 Subungual antifungal activity of amorolfine (Suppl.),
- Topical fish oil in psoriasis, 159
- Topical isotretinoin, benzoyl peroxide gel and placebo in acne patients, 165

- Topical tretinoin for black hairy tongue, 163
- Toxic epidermal necrolysis treated with cyclosporin, 264
- Use of calcipotriol in HIV-related psoriasis, 342 ·
- Tissue culture, 27
- Tongue, 47
- Toxic epidermal necrolysis, 264
- Trichoepitheliomas, 332
- Trichosporonosis, 79
- Tufted angioma, 344
- Turner's Syndrome, 56

### Ulceration

- Effectiveness of pressure ulcer treatments, 328
- Role of sulphyryl-containing agents, 427
- Secondary T-cell lymphoma, 379
- Ulcers of small intestine, 176
- Urticarial vasculitis, 137
- UVA protection, 94

## Vasculitis, 4, 266

- Vinyl chloride, 208
- Viral infection
  - Herpes simplex, 201, 221
  - Human papillomavirus, 252, 392
- Vitiligo, 38, 127

### Wegener's granulomatosis, 197

- Scar sarcoidosis at the site of desensitization injections,
- 369
- Subcutaneous nodules, 192

#### Authors

- ACHENBACH, R. see ESCOBAR, S.O.
- ACLIMANDOS, W.A. see WILLIAMS, H.C.
- ADAMS, S.J. see MORGAN, J.M.
- Ajello, L. see Matsumoto, T.
- AMEMIYA, F. see ISHII, N.
- ANCIONES, B. see PIZARRO, A.
- ANTHONY, R.M., NOBLE, W.C. and PITCHER, D.G.
  - Characterization of aerobic non-lipophilic coryneforms from human feet, 102
- ARCHER, C.B., CRONIN, E. and SMITH, N.P. Diagnosis of

- lichen planus pemphigoides in the absence of bullae on normal-appearing skin, 433
- ARICÒ, M., NOTO, G., LA ROCCA, E., PRAVATÀ, G. and BIVONA, A. Localized crusted scabies in the acquired
- immunodeficiency syndrome, 339 Arrese Estrada, J. see Piérard, G.E.
- ASAGI, Y. see NISHIYAMA, Y.
- ASHERSON, R.A., BUCHANAN, N.M.M., D'CRUZ, D. and HUGHES, G.R.V. Urticarial Vasculitis, IgA deficiency and C<sub>1</sub> esterase inhibitor deficiency in the

presence of an IgG monoclonal gammopathy—a case report, 137

Asherson, Ř.A., Jacobelli, S., Rosenberg, H., McKee, P. and Hughes, G.R.V. Skin nodules and macules resembling vasculitis in the antiphospholipid syndrome—a report of two cases, 266

ASHWORTH, J. Subacute cutaneous lupus erythematosus in a patient with Crohn's disease, 235

ATKINSON, A. see WILKINSON, S.M.

ATSUSAKA, K. see MOHRI, S.

BABA, N., see ISHII, N.

BADGER, J., BANERJEE, A.K. and McFADDEN, J. Unilateral subungual hyperkeratosis following a cerebrovascular incident in a patient with psoriasis, 454

BALDARI, U., ZANELLI, R., FOSCHI, R. and RIDOLFI, R. Cutaneous metastases from breast carcinoma: a report of 18 cases, 321

BANERJEE, A.K. see BADGER, J.

BASTIEN, H. see LAMBERT, D.

BASU, M.K. see GRATTAN, C.E.H.

BATES, W. see DE VILLIERES, W.J.S.
BEER, W.E., WAYTE, D.M. and MORGAN, G.W. Knobbly granuloma annulare (GA) of the fingers of a

milkman—a possible relationship to his work, 63 Belinchón, I. see Del-Rio, E.

BERGSTRAESSER, M. see NOLTING, S.

BERGSTRAESSER, M. see DEL PALACIO, A.

BERGSTRAESSER, M. see ZAUG, M.

BERTAGNOLIO, B. see GASPARINI, G.

BERTI, E. see NALDI, L.

BÉZIAN, J.-H. see VEDEL, J.

BHATTACHARYA, S.N. see SEHGAL, V.N.

BISCHOFF, R., DE JONG, E.M.G.J., RULO, H.F.C., SEN-DAGORTA, E., CZARNETZKI, B.M. and VAN DE KERKHOF, P.C.M. Topical application of 13-cisretinoic acid in the treatment of chronic plaque psoriasis, 9

BIVONA, A. see ARICÒ, M.

BLACK, C., BRIGGS, D. and WELSH, K. The immunogenetic background of scleroderma—an overview, 73

BLACK, C. see OSTLERE, L.S.

BLACK, M.M. see GARVEY, M.P.

BLACK, M.M. see KAVANAGH, G.M.

BLEWITT, R.W. see NEWBOULD, M.J.

BODEMER, W. see KNOBLER, R.M.

BOEZEMAN, J.B.M. see VAN DER STEEN, P.H.M.

Borrego, L., Gil, R., Mazuecos, A., Ruiz, R., Lopez, J.L.L. and Iglesias, L. Cholesterol embolism to the skin, 424

BOTTOMLEY, W. see GRAY, J.D.

BOTTOMLEY, W.W. and CUNLIFFE, W.J. Acute Achilles tendonitis following oral isotretinoin therapy for acne vulgaris, 250 BOWEN, R.G. see PHILPOT, C.M.

Branfoot, A.C. see Ostlere, L.S.

BRAUN-FALCO, O. see MERKLE, T.

BREATHNACH, S.M. see HANDFIELD-JONES, S.E.

BRIGGS, D. see BLACK, C.

BUCHANAN, N.M.M. see ASHERSON, R.A.

BUCKLEY, C. see OSTLERE, L.S.

Burgess, I. and Spraggs, P.D.R. Mysiasis due to Parasarcophaga argyrostoma—first recorded case in Britain, 261

Burns, D.A. Follicle mites and their role in disease, 152
Burnows, N.P., Russell Jones, R. and Smith, N.P.
The clinicopathological features of familial cylindromas and trichoepitheliomas (Brooke-Speiger syndrome): a report of two families, 332

CAINELLI, T. see NALDI, L.

CARR, M.M. see LANGTRY, J.A.A.

CARTWRIGHT, P.H. see SOWDEN, J.M.

CAVICCHINI, S. see GASPARINI, G.

CERIO, R. see SCHOFIELD, J.K.

Cerio, R., Wilson Jones, E. and Eady Ilven, R.A.J. Responding to occlusive potent topical steroid therapy, 279

Cerroni, L. see Wolf, P.

CHANG, W.L. and KYUNG, M.J. Epidermolysis bullosa acquisita presenting with localized facial blisters, 363

CHAPMAN, D.M. The bare: ensheathed anagen root ratio as a function of the speed of epilation, 99

CHAPMAN, D.M. The anchoring strengths of various chest hair root types, 421

CHU, A.C. see TSELE, E.

CLARKE, C. see REINEL, D.

CLAYTON, Y.M. see HAY, R.J.

CLAYTON, Y.M. Clinical and mycological diagnostic aspects of onychomycoses and dermatomycoses (Suppl.), 37

COLLET, E. see LAMBERT, D.

COLLINS, P. and ROGERS, S. The efficacy of methotrexate in psoriasis—a review of 40 cases, 257

CONTRERAS, F. see PIZARRO, A.

CORBETTA, C. see MENNI, S.

COSTO, R. see DEL PALACIO, A.

COTTERILL, J.A. see GRAY, J.D.

COULSON, I.H. see MALLETT, R.B.

CRIPPS, A.I. see GREAVES, K.

CRIPPS, D.J. see GREAVES, K.

CRONIN, E. see ARCHER, C.B.

CRONIN, E. see KAVANAGH, G.M.

CUÉTARA, M.S. see DE PALACIA, A.

CUNLIFFE, W.J. see BOTTOMLEY, W.W.

CUNLIFFE, W.J. see HUGHES, B.R.

CUNLIFFE, W.J. see LAYTON, A.M.

CZARNETZKI, B.M. see BISCHOFF, R.

DALLAC, S. see LAMBERT, D.

DALZIEL, K.L. see HARLAND, C.C.

DARLEY, C. see RIORDAN, C.A.

DAWBER, R.P.R. What is a pseudopelade?, 305

DAWBER, R.P.R. see FERGUSON, J.A.

DAWBER, R.P.R. see MARREN, P. D'CRUZ, D. see ASHERSON, R.A.

DE BERKER, D. see MARREN, P.

DE JONG, E.M.G.J. see BISCHOFF, R.

DE JONG, E.M.G.J., VAN ERP, P.E.J., VAN VLIJMEN, I.M. J. J. and VAN DE KERKHOF, P.C.M. The interrelationship between inflammation and epidermal proliferation in normal skin following epicutaneous application of leukotriene-B4-an immunohistochemical study, 413

DE MURET, A. see VALLIANT, L.

DE VILLIERES, W.J.S., JORDAAN, H.F. and BATES, W. Systemic sclerosis sine scleroderma presenting with vitiligo-like depigmentation and interstitial pulmonary fibrosis, 127

DEL AGUILA, R., MONTERO GEI, F., ROBLES, M., PERERA-RAMIREZ, A. and MALE, O. Once-weekly oral doses of fluconazole 150 mg in the treatment of tinea pedis,

402

DEL PALACIO, A. see HAY, R.J.

DEL PALACIO, A., GIP, L., BERGSTRAESSER, M. and ZAUG, M. Dose-finding study of amorolfine cream (0.125%, 0.25% and 0.5%) in the treatment of dermatomycoses (Suppl.), 50

DEL PALACIO, A., PEREIRO-MIGUENS, M., GIMENO, C., CUÉTARA, M.S., RUBIO, R., COSTA, R. and ROMERO, G. Widespread dermatophytosis due to Microsporum (Trichophyton) gallinae in a patient with AIDS—a case report from Spain, 449

DEL-Río, E., VÉLEZ, A., MARTIN, N., BELINCHÓN, I., FUENTE, C. and ROBLEDO, A. Localized familial redundant scalp: atypical cutis verticis gyrata? 349

DERVAN, P. see O'DONNELL, B.

DIETZ M. see NOLTING, S. DINGEMANSE, J. see RONCARI, G.

DONADINI, A., FIORA, C., REGAZZINI, R., PERINI, D. and MINOIA, C. Selenium plasma levels in psoriasis, 214

DU VIVIER, A.W.P. see HIGGINS, E.M.

DYKES, P.J. and MARKS, R. An evaluation of the irritancy potential of povidone iodine solutions: comparison of subjective and objective assessment techniques, 246

EADY, E.A. see LAYTON, A.M. EADY ILVEN, R.A.J. see CERIO, R. ENGLISH, J.S.C. see WILKINSON, S.M. ERNI, W. see PITTROF, F.

ESCALLIER, R. see LAMBERT, D.

ESCOBAR, S.O., ACHENBACH, R., IANNANTUONO, R. and HALL, P. see HIGGINS, E.M.

TOREM, V. Topical fish oil in psoriasis—a controlled and blind study, 159

ESPAÑA, A., REDONDO, P., IDOATE, M.A., SERNA, M.J. and QUINTANILLA, E. Perianal basal cell carcinoma,

FARTASCH, M. see VON DEN DRIESCH, P.

FENTON, D.A. see HANDFIELD-JONES, S.E.

FERGUSON, J.A., GOLDACRE, M.J., NEWTON, J.N. and DAWBER, R.P.R. An epidemiological profile of in-patient workload in dermatology, 407

FERNÁNDEZ-LÓPEZ, E. see UNAMUNO, P.

FIELD, E.A. see MENDELSOHN, S.S.

FINLAY, A.Y. see MOTLEY, R.J.

FIORA, C. see DONADINI, A.

FONSECA, E. see PIZARRO, A. FOSCHI, R. see BALDARI, U.

FRIEDRICH, H.K. see NOLTING, S.

FRYER, P.R. and POPE, F.M. Accumulation of membrane-bound melanosomes occurs in Langerhans cells of patients with the Leopard Syndrome, 13

FUENTE, C. see DEL-RIÓ, E.

FURUKAWA, M. see TANIGUCHI, S.

GARVEY, M.P., HANDFIELD-JONES, S.E. and BLACK, M.M. Pemphigoid gestationis response to chemical oophorectomy with goserelin, 443

GASPARINI, G., SARCHI, G., CAVICCHINI, S. and BERTAG-NOLIO, B. Angiokeratoma corporis diffusum in a patient with normal enzyme activities and Turner's syndrome, 56

GEBHART, W. see KNOBLER, R.M.

GENTLE, T.A. see GRATTAN, C.E.H.

GERHARDS, J. see PITTROF, F.

GIL, R. see BORREGO, L.

GIP, L. see DEL PALACIO, A.

GIMENO, C. see DEL PALACIO, A.

GOLDACRE, M.J. see FERGUSON, J.A.

GRATTAN, C.E.H., GENTLE, T.A. and BASU, M.K. Oral papillary plasmacytosis resembling candidosis without demonstrable fungus in lesional tissue, 112

GRAY, J.D., BOTTOMLEY, W., LAYTON, A.M., COTTERILL, J.A. and MONTEIRO, E. The use of calcipotriol in HIV-related psoriasis, 342

GREAVES, K., CRIPPS, A.J. and CRIPPS, D.J. Actinic reticuloid: action spectra and UVA protection factor sunscreens, 94

GREAVES, M.W. see HANDFIELD-JONES, S.E.

GRICE, K. see SCHOFIELD, J.K.

GUENZI, A. see RONCARI, G.

GUPTA, C.K. see SEHGAL, V.N.

HAMADA, T. see TANIGUCHI, S.

HANDFIELD-JONES, S.E. see GARVEY, M.P.

HANDFIELD-JONES, S.E., PARKER, S.C., FENTON, D.A., NEWTON, J.A. and GREAVES, M.W. Wegener's granulumatosis presenting as pyoderma gangrenosum, 197

HANDFIELD-JONES, S.E., SMITH, N.P. and BREATHNACH, S.M. Hypopigmented mycosis fungoides, 374

HARLAND, C.C., KILBY, P.E. and DALZIEL, K.L. Acrodermatitis continua responding to cyclosporin therapy, 376

HARRIS, D. see OSTLERE, L.S.

HARRISON, P.V. see NEWBOULD, M.J.

HAY, R.J. Treatment of dermatomycoses and onychomycoses—state of the art (Suppl.), 2

HAY, R.J., CLAYTON, Y.M., DEL PALACIO, A. and POLAK, A.M. Introduction (Suppl.), 2

HEAGERTY, A.H.M., RUBIN, A. and ROBINSON, T.W.E. Familial tufted angioma, 344

HEAGERTY, A.H.M. see WILKINSON, S.M.

HEALSMITH, M.F. and HUTCHINSON, P.E. The development of scar sarcoidosis at the site of desensitization injections, 369

Hewitt, J. and Ormerod, A.D. Toxic epidermal necrolysis treated with cyclosporin, 264

HIDANO, A. see YAMASHITA, H.

HIGGINS, E.M. and Du VIVIER, A.W.P. Possible induction of malignant melanoma by sunbed use, 357

HIGGINS, E.M., HALL, P., TODD, P., MURTHI, R., DU VIVIER, A.W.P. The application of the seven-point check list in the assessment of benign pigmented lesions, 313

HILEY, C. see SOWDEN, J.M.

HIRATANI, T. see NISHIYAMA, Y.

HOHENLEUTNER, U. see MERKLE, T.

HOLDEN, C.A. see MALLETT, R.B.

HOLT, P.C., see LEVER, L.R.

HOLT, P.J.A. see SAI, S.W.

HONG-JIG, K. see YOUNG-KEUN, K.

HORIUCHI, N. and TAGAMI, H. Skin metastasis in larvngeal carcinoma, 282

HORIUCHI, Y., MASUZAWA, M., NOZAKI, O., SHIBAHARA, N., SHIGA, T. and YOSHIDA, M. Unusual cutaneous lesions associated with chronic myelomonocytic leukaemia, 121

HORNSTEIN, O.P., see VON DEN DRIESCH, P.

HUDSON, M. see MCHENRY, P.M.

Hughes, B.R., Norris, J.F.B. and Cunliffe, W.J. A double-blind evaluation of topical isotretinoin 0.05%, benzoyl peroxide gel 5% and placebo in patients with acne, 165

HUGHES, B.R. see LAYTON, A.M

HUGHES, G.R.V. see ASHERSON, R.A. HUTCHINSON, P.E. see HEALSMITH, M.F.

IANNANTUONO, R. see ESCOBAR, S.O.

IDOATE, M.A. see ESPAÑA, A.

IDOATE, M. see RUIZ DE ERENCHUN, F.

IGLESIAS, L. see BORREGO, L.

IM, T. see TANIGUCHI, S.

Ishibashi, Y. see Nogita, T.

ISHII, M. see TANIGUCHI, S.

ISHII, N., BABA, N., KANAIZUKA, I., NAKAJIMA, H., ONO, S. and AMEMIYA, F. Histopathological study of focal dermal hypoplasia (Goltz syndrome), 24

IVE, F.A. see LANGTRY, J.A.A.

JACOBELLI, S. see ASHERSON, R.A.

JONES, C.J.P. see NEWBOULD, M.J.

JONKMAN, J.H.G. see RONCARI, G.

JORDAAN, H.F. see DE VILLIERES, W.J.S.

JORIZZO, J.L. see McCALMONT, C.S.

KANAIZUKA, I. see ISHII, N.

KATO, N. and UENO, H. Two cases of plantar epidermal cyst associated with human papillomavirus, 252

KATO, T. see MATSUMURA, N.

KAVANAGH, G.M., Ross, J.S., CRONIN, E., SMITH, N.P. and BLACK, M.M. Recalcitrant pyoderma gangrenosum—two cases successfully treated with cyclosporin A, 49

KAWASHIMA, M. see YAMASHITA, H.

KEEFE, M. see PEPPIATT, Y.

KELLY, P. see O'DONNELL, B.

KERL, H. see WOLF, P.

KIEMENEY, L.A.L.M. see RAMPEN, F.H.J.

KILBY, P.E. see HARLAND, C.C.

KLECAK, G. see PITTROF, F.

KNIPSCHILD, P. see TER RIET, G.

KNOBLER, R.M., SCHNEIDER, S., RADLWIMMER, B., BODEMER, W., GEBHART, W. and SÖLTZ-SZÖTS, J. Human papillomavirus in cervix carcinoma and condylomata acuminata—identification of HPV-DNA by improved dot-blot-hybridization, 392

KOBAYASHI, H. see TANIGUCHI, S.

KONO, T. see TANIGUCHI, S.

KORSTANJE, M. J. How to improve the risk-benefit ratio of cyclosporin therapy for psoriasis, 16

KUMASAKA, K. see MATSUMURA, N.

KUMASAKA, N. see MATSUMARA, N.

KWANG-GIL, L. see YOUNG-KEUN, K.

KYUNG, M.J. see CHANG, W.L.

LA ROCCA, E. see ARICO, M.

LAMBERT, D., ESCALLIER, R., COLLET, E., DALLAC, S., MAINGON, P., MAYOR, F. and BASTIEN, H. Distal LANGTRY, J.A.A., CARR, M.M., STEELE, M.C. and IVE, F.A. Topical tretinoin: a new treatment for black hairy tongue (lingua villosa nigra), 163

LANGTRY, J.A.A. see OSTLERE, L.S. LANDTHALER, M. see MERKLE, T.

LANGTRY, J.A.A. see OSTLERE, L.S.

LARA, M. see PIZARRO, A.

476

LAUBENSTEIN, L.J. see RIVERS, J.K.

LAUHARANTA, J. Comparative efficacy and safety of amorolfine nail lacquer 2% versus 5% once weekly (Suppl.), 41

LAWRENCE, P. and SAXE, N. Bullous secondary syphilis, 44

LAYTON, A.M. see GRAY, J.D.

LAYTON, A.M., HUGHES, B.R., MACDONALD HULL, S., EADY, E.A. and CUNLIFFE, W.J. Seborrhoea—an indicator for poor clinical response in acne patients treated with antibiotics, 173

LEACHE, A. see RUIZ DE ERENCHUN, F.

LESHIN, B. see McCalmont, C.S.

LEVER, L.R. and HOLT, P.C. Multiple glomus cell tumours—treatment by infra-red coagulation, 34

LOCATI, F. see NALDI, L.

LOCHNER, J.DE V. see SWART, E.

LOPEZ, J.L.L. see BORREGO, L.

LORETTE, G. see VALLIANT, L.

LOTHER, Y. see PIERARD, G.E.

McCalmont, C.S., McCalmont, T.H., Jorizzo, J.L., White, W.L., Leshin, B. and Rotheberger, H. Livedo vasculitis: vasculitis or thrombotic vasculopathy? 4

McCalmont, T.H. see McCalmont, C.S.

MACDONALD HULL, S. see LAYTON, A.M.

McFadden, J. see Badger, J.

McGibbon, D.H. see McGregor, J.M.

McGregor, J.M. and McGibbon, D.H. Disseminated granuloma annular as a presentation of acquired immunodeficiency syndrome (AIDS), 60

MCHENRY, P.M., HUDSON, M., SMART, L.M., RENNIE, J.A.N., MOWAT, N.A.G. and WHITE, M.E. Pyoderma faciale in a patient with Crohn's disease, 460

McKee, P. see Asherson, R.A.

MAINGON, P. see LAMBERT, D.

MALE, O. see DEL AGUILA, R.

MALE, O. see SUCHIL, P.

MALLETT, R.B., COULSON, I.H. and HOLDEN, C.A. Acquired eruptive haemangiomata with primary biliary cirrhosis and prostatic carcinoma, 206

MARCHESI, L. see NALDI, L.

MARKEY, A.C. see RIORDAN, C.A.

MARKS, R. see DYKES, P.J.

MARREN, P., DE BERKER, D., MILLARD, P. and WOJ-

NAROWSKA, F. Bullous and haemorrhagic lichen sclerosus with scalp involvement, 354

MARREN, P., WILSON, C., DAWBER, R.P.R. and WALSHE, M.M. Hereditary hypotrichosis (Marie-Unna type) and juvenile macular degeneration (Stargardt's maculopathy), 189

MARTIN, N. see DEL-Río, E.

MASUZAWA, M. see HORIUCHI, Y.

MATSUDA, T. see MATSUMOTO, T.

MATSUMOTO, T., MATSUDA, T., PADHYE, A.A., STAN-DARD, P.G. and AJELLO, L. Fungal melanonychia: ungual phaeohyphomycosis caused by *Wangiella* dermatitidis, 83

MATSUMURA, N., KATO, T., KUMASAKA, N., WATANABE, M., KUMASAKA, K. and TAGAMI, H. Malignant melanoma complicated by schwannoma, 366

MAYOR, F. see LAMBERT, D.

MAZUECOS, A. see BORREGO, L.

MELCHINGER, W. see MULLER, J.

MELOTTI, D. see MENNI, S.

MENDELSOHN, S.S., FIELD, E.A. and WOOLGAR, J. Sarcoidosis of the tongue, 47

Menni, S., Saleh, F., Piccinno, R., Corbetta, C. and Melotti, D. Palmoplantar keratoderma of Unna-Thost: response to biotin in one family, 337

MENSING, H., POLAK-WYSS, A. and SPLANEMANN, V. Determination of the subungual antifungal activity of amorolfine after 1 month's treatment in patients with onychomycosis: comparison of two nail lacquer formulations (Suppl.), 29

MERKLE, T., HOHENLEUTNER, U., BRAUN-FALCO, O. and LANDTHALER, M. Reticulate porokeratosis-successful treatment with CO<sub>2</sub>-laser, 178

MILLARD, P. see MARREN, P.

MINOIA, C. see DONADINI, A.

MIZOGUCHI, H. see YAMASHITA, H.

MOHRI, S., ATSUSAKA, K. and SASAKI, T. Localized multiple neurofibromas, 195

MONEGIER DU SORBIER, C. see VALLIANT, L.

MONTEIRO, E. see GRAY, J.D.

MONTERO GEI, F. see DEL AGUILA, R.

MONTERO GEI, F. see SUCHIL, P.

MORGAN, G.W. see BEER, W.E.

Morgan, J.M., Weller, R. and Adams, S.J. Onycholysis in a case of atopic eczema treated with PUVA photochemotherapy, 65

Moro, A. see Nogita, T.

MOTLEY, R.J. and FINLAY, A.Y. Practical use of a disability index in the routine management of acne, 1

MOWAT, N.A.G. see MCHENRY, P.M.

MULLER, C. see VALLIANT, L.

MÜLLER, J., POLAK-WYSS, A. and MELCHINGER, W. Influence of amorolfine on the morphology of Candida albicans and Trichophyton mentagrophytes (Suppl.), 18

477

Nagayama, M. see Yamashita, H. Nakagawa, K. see Taniguchi, S.

NAKAJIMA, H. see ISHII, N.

NALDI, L., MARCHESI, L., LOCATI, F., BERTI, E. and CAINELLI, T. Unusual manifestations of primary cutaneous amyloidosis in association with Raynaud's phenomenom and livedo reticularis, 117

NEARY, R.H. see WILKINSON, S.M. NEUMANN, H.A.M. see RAMPEN, F.H.J.

Newbould, M.J., Harrison, P.V., Blewitt, R.W. and Jones, C.J.P. Junctional epidermolysis bullosa: a mild variant in two Indian sisters, 106

NEWTON, J.A. see HANDFIELD-JONES, S.E.

NEWTON, J.N. see FERGUSON, J.A.

NISHIYAMA, Y., ASAGI, Y., HIRATANI, T., YAMAGUCHI, H., YAMADA, N. and OSUMI, M. Morphological changes associated with growth inhibition of *Trichophyton mentagrophytes* by amorolfine (Suppl.), 13

NOBLE, W.C. see ANTHONY, R.M.

NOGITA, T., TAKEHARA, K., MORO, A., OTSUKA, F. and ISHIBASHI, Y. Effect of platelet-poor plasma from patients with neurofibromatosis on the growth of cultured neurofibroma-derived fibroblast-like cells, 27

NOLTING, S., SEMIG, G., FRIEDRICH, H.K., DIETZ, M., RECKERS-CZASCHKA, R., BERGSTRAESSER, M. and ZAUG, M. Double-blind comparison of amorolfine and bifonazole in the treatment of dermatomycoses (Suppl.), 56

NORRIS, J.F.B. see HUGHES, B.R. NORVAL, M. see VESTEY, J.P.

Noto, G. see Aricò, M.

Nozaki, O. see Horiuchi, Y.

O'DONNELL, B., KELLY, P., DERVAN, P. and POWELL, F.C. Generalized elastosis perforans serpiginosa in Down's syndrone, 31

ONO, S. see ISHII, N.

ORMEROD, A.D. see HEWITT, J.

OSTLERE, L.S., BRANFOOT, A.C. and STAUGHTON, R.C.D. Cicatricial pemphigoid and carcinoma of the pancreas, 67

OSTLERE, L.S., HARRIS, D., BUCKLEY, C., BLACK, C. and RUSTIN, M.H.A. Atypical systemic sclerosis to vinyl chloride monomer. A case report and review of the cutaneous aspects of vinyl chloride disease, 208

OSTLERE, L.S., LANGTRY, J.A.A., BRANFOOT, A.C. and STAUGHTON, R.C.D. HIV seropositivity in association with pityriasis lichenoides et varioliformis acuta, 36

OSUMI, M. see NISHIYAMA, Y.

OTSUKA, F. see NOGITA, T.

PADHYE, A.A. see MATSUMOTO, T.

PARKER, S.C. see HANDFIELD-JONES, S.E.

Peireio Ferreirós, Ma.M. see Vázouez Garcío, I.

Peppiatt, Y., Keefe, M. and White, J.E. Hailey-Hailey disease—exacerbation by herpes simplex virus and patch tests, 201

PEREIRO-MIGUENS, M. see DEL PALACIO, A.

PERERA-RAMIREZ, A. see DEL AGUILA, R.

PERERA-RAMIREZ, A. see SUCHIL, P.

PÉREZ OLIVA, N. see VÁZQUEZ GARCÍA, J.

PERINI, D. see DONADINI, A.

PHILPOT, C.M. and BOWEN, R.G. Hazards from hedgehogs: two case reports with a survey of the epidemiology of hedgehog ringworm, 156

PICCINNO, R. see MENNI, S.

PIÉRARD, G.E., READ, D., PIÉRARD-FRANCHIMONT, C., LOTHER, Y., RURANGIRWA, A. and ARRESE ESTRADA, J. Cutaneous manifestations in systemic trichosporonosis, 79

PIÉRARD-FRANCHIMONT, C. see PIÉRARD, G.E.

PITCHER, D.G. see ANTHONY, R.M.

PITTROF, F., GERHARDS, J., ERNI, W. and KLECAK, G. Loceryl® nail lacquer—realization of a new galenical approach to onychomycosis therapy (Suppl.), 26

PIZARRO, A., FONSECA, E., ANCIONES, B., LARA, M. and CONTRERAS, F. Long-term undiagnosed syphilis with clinical presentation of meningitis, 125

POLAK, A.M. Preclinical data and mode of action of amorolfine (Suppl.), 8.

POLAK, A.M. see HAY, R.J.

POLAK-WYSS, A. see MENSING, H.

POLAK-WYSS, A. see MULLER, J.

PONELLE, C.H. see RONCARI, G.

POPE, F.M. see FRYER, P.R.

POSTEL, A.H. see RIVERS, J.K.

POWELL, F.C. see O'DONNELL, B.

PRAVATÀ, G. see ARICÒ, M.

PRITCHARD, M.H. see SAI, S.W.

PRYCE, D.W. and VERBOV, J.L. Inflammatory ringworm with unusual features, 186

QUINTANILLA, E. see ESPAÑA, A.

QUINTANILLA, E. see RUIZ DE ERENCHUN, F.

RADLWIMMER, B. see KNOBLER, R.M.

RAMPEN, F.H.J., NEUMANN, H.A.M. and KIEMENEY, L.A.L.M. Fundamentals of skin cancer/melanoma screening campaigns, 307

RAO, Y.N. see SEHGAL, V.N.

READ, D. see PIÉRARD, G.E.

RECKERS-CZASCHKA, R. see NOLTING, S.

REDONDO, P. see ESPAÑA, A.

REGAZZINI, R. see DONADINI, A.

REINEL, D. and CLARKE, C. Comparative efficacy and safety of amorolfine nail lacquer 5% in onychomycosis, once-weekly versus twice-weekly (Suppl.), 44

RENNIE, J.A.N. see McHENRY, P.M.

RIDOLFI, R. see BALDARI, U.

RIORDAN, C.A., DARLEY, C., MARKEY, A.C., MURPHY, G. and WILKINSON, J.D. Unilateral linear capillaritis, 182

RIVERS, J.K., LAUBENSTEIN, L.J. and POSTEL, A.H. Acute monocytic leukaemia in a HIV-seropositive man, 203

ROBINSON, T.W.E. see HEAGERTY, A.H.M.

ROBLEDO, A. see DEL-RÍO, E. ROBLES, M. see DEL AGUILA, R.

ROBLES, M. see SUCHIL, P.

ROGERS, S. Skin thickness in psoriasis, 324

ROGERS, S. see COLLINS, P.

ROMERO, G. see DEL PALACIA, A.

RONCARI, G., PONELLE, CH., ZUMBRUNNEN, R., GUENZI, A., DINGEMANSE, J. and JONKMAN, J.H.G. Percutaneous absorption of amorolfine following a single topical application of an amorolfine cream formulation (Suppl.), 33

ROSENBERG, H. see ASHERSON, R.A. ROSS, J.S. see KAVANAGH, G.M.

ROTHEBERGER, H. see McCalmont, C.S.

RUBIN, A. see HEAGERTY, A.H.M.

RUBIO, R. see DEL PALACIO, A.

RUIZ DE ERENCHUN, F., VAZQUEZ-DOVAL, F.J., IDOATE, M., LEACHE, A., QUINTANILLA, E. Subcutaneous nodules as the first clinical manifestation of sarcoidosis, 192

Ruiz, R. see Borrego, L.

Rulo, H.F.C. see Bischoff, R.

RURANGIRWA, A. see PIÉRARD, G.E.

RUSSELL JONES, R. see BURROWS, N.P.

RUSTIN, M.H.A. see OSTLERE, L.S.

SAI, S.W. and HOLT, P.J.A. Generalized morphoea and primary biliary cirrhosis: a rare association and improvement with oxypentifyllin, 371

SAI, S.W., PRITCHARD, M.H. and HOLT, P.J.A. Familial acne fulminans, 351

SALEH, F. see MENNI, S.

SALIM, A.S. Role of sulphydryl-containing agents in the management of venous (varicose) ulceration. A new approach, 427

SALISBURY, J. see WILLIAMS, H.C.

SANTOS, C. see UNAMUNO, P.

SARCHI, G. see GASPARINI, G.

SASAKI, T. see MOHRI, S.

SAXE, N. see LAWRENCE, P.

SCHNEIDER, S. see KNOBLER, R.M.

SCHOFIELD, J.K., CERIO, R. and GRICE, K. Systemic

lupus erythematosus presenting with 'rheumatoid nodules', 53

SEHGAL, V.N., BHATTACHARYA, S.N., SHAH, Y., RAO, Y.N. and GUPTA, C.K. Lymphocyte adenosine deaminase activity (L-ADA) in leprosy, during and after treatment of reactions, 20

SEMIG, G. see NOLTING, S.

SENDAGORTA, E. see BISCHOFF, R.

SERNA, M.J. see ESPAÑA, A.

SHAH, Y. see SEHGAL, V.N.

SHIBAHARA, N. see HORIUCHI, Y.

SHIGA, T. see HORIUCHI, Y.

SLATER, D.N. see SOWDEN, J.M.

SMART, L.M. see MCHENRY, P.M.

SMITH, A.G. see SOWDEN, J.M.

SMITH, A.G. see WILKINSON, S.M.

SMITH, N.P. see ARCHER, C.B.

SMITH, N.P. see BURROWS, N.P.

SMITH, N.P. see HANDFIELD-JONES, S.E.

SMITH, N.P. see KAVANAGH, G.M.

SMTIH, N.P. see WILKINSON, S.M.

SÖLTZ-SZÖTS, J. see KNOBLER, R.M.

SOWDEN, J.M., CARTWRIGHT, P.H., SMITH, A.G., HILEY, C. and SLATER, D.N. Sarcoidosis presenting with a granulomatous reaction confined to red tattoos, 446

SPLANEMANN, V. see MENSING, H.

SPRAGGS, P.D.R. see BURGESS, I.

STANDARD, P.G. see MATSUMOTO, T.

STAUGHTON, R.C.D. see OSTLERE, L.S.

STEELE, M.C. see LANGTRY, J.A.A.

SUCHIL, P., MONTERO GEI, F., ROBLES, M., PERERA-RAMIREZ, A., WELSH, O. and MALE, O. Once-weekly oral doses of fluconazole 150 mg in the treatment of tinea corporis/cruris and cutaneous candidiasis, 397

SWART, E. and LOCHNER, J.DE V. Skin conditions in epileptics, 169

TAGAMI, H. see HORIUCHI, N.

TAGAMI, H. see MATSUMURA, N.

TAGAMI, H. see TAKAHASHI, K.

TAÏEB, A. see VEDEL, J.

TAKAHASHI, K. and TAGAMI, H. Coexistance of numerous superficial basal cell epithelioma of the back and non-specific ulcers of the small intestine: occurrence of two rare diseases in the same patient, 176

TAKEHARA, K. see NOGITA, T.

TANIGUCHI, S., KONO, T., TANII, T., YOKOKAWA, M., KOBAYASHI, H., NAKAGAWA, K., FURUKAWA, M., ISHII, M., IM, T. and HAMADA, T. Secondary T-cell lymphoma presenting as a giant ulcer, 379

TANII, T. see TANIGUCHI, S.

TER RIET, G., VAN HOUTEM, H. and KNIPSCHILD, P. Health-care professionals views of the effectiveness of pressure ulcer treatments. A survey among

nursing-home physicians, dermatologists and nursing staff in The Netherlands, 328

TODD, P. see HIGGINS, E.M. TOREM, V. see ESCOBAR, S.O.

TORIBO, J. see VÁZQUEZ GARCÍA, J.

TSELE, E., Yu, R.C.H. and CHU, A.C. Pyoderma gangrenosum—response to topical nitrogen mustard, 437

UENO, H. see KATO, N.

UNAMUNO, P., FERNÁNDEZ-LÓPEZ, E. and SANTOS, C. Leukonychia due to cytostatic agents, 273

VALLIANT, L., DE MURET, A., MONEGIER DU SORBIER, C., MULLER, C. and LORETTE, G. A primary cutaneous multi-lobed B-cell lymphoma, 270

VAN BAAR, H.M.J. see VAN DER STEEN, P.H.M.

VAN DE KERKHOF, P.C.M. see BISCHOFF, R.

VAN DE KERKHOF, P.C.M. see DE JONG, E.M.G.J.

VAN DE KERKHOF, P.C.M. see VAN DER STEEN, P.H.M. VAN DER STEEN, P.H.M., VAN BAAR, H.M.I., BOEZEMAN, J.B.M., VAN ERP, P.E.J., VAN VLIJMEN, I.M.J.J. and VAN DE KERKHOF, P.C.M. Epidermal proliferation and keratinization following standardized elicitation with diphenylcyclopropenone, 316

VAN ERP, P.E.J. see DE JONG, E.M.G.J. VAN ERP, P.E.J. see VAN DER STEEN, P.H.M.

VAN HOUTEM, H. see TER RIET, G.

VAN VLIJMEN, I.M.J.J. see DE JONG, E.M.G.J.

VAN VLIJMEN, I.M.J.J. see VAN DER STEEN, P.H.M. VAZQUEZ-DOVAL, F.J. see RUIZ DE ERENCHUN, F.

VÁZQUEZ GARCÍA, J., PÉREZ OLIVA, N., PEIREIO FER-REIRÓS, MA.M. and TORIBIO, J. Lichen planus follicularis tumidus with cysts and comedones, 346

VEDEL, J., VINCENDEAU, P., BÉZIAN, J.-H., TAÏEB, A. Flow cytometry analysis of adhesion molecules on human Langerhans cells, 240

VÉLEZ, A. see DEL-Río, E. VERBOV, J.L. see PRYCE, D.W.

VESTEY, J.P. and NORVAL, M. Mucocutaneous infections with herpes simplex virus and their management, 221

VINCENDEAU, P. see VEDEL, J.

VON DEN DRIESCH, P., FARTASCH, M. and HORNSTEIN, O.P. Chronic actinic dermatitis with vitiligo-like depigmentation, 38

WALSHE, M.M. see MARREN, P. WATANABE, M. see MATSUMURA, N. WAYTE, D.M. see BEER, W.E. WELLER, R. see MORGAN, J.M. WELSH, K. see BLACK, C. WELSH, O. see SUCHIL, P. WHITE, J.E. see PEPPIATT, Y.

WHITE, M.E. see MCHENRY, P.M.

WHITE, W.L. see McCALMONT, C.S.

WILKINSON, J.D. see RIORDAN, C.A.

WILKINSON, S.M., ATKINSON, A., NEARY, R.H. and SMITH, A.G. Normolipaemic plane xanthomas: an association with increased vascular permeability and serum lipoprotein(a) concentration, 211

WILKINSON, S.M., ENGLISH, J.S.C., SMITH, N.P., WIL-SON-JONES, E. and WINKELMANN, R.K. Erythema elevatum diutinum: a clinicopathological study, 87

WILKINSON, S.M., HEAGERTY, A.H.M. and SMITH, A.G. Toxic epidermal necrolysis localized to an area of lymphoedema, 456

WILLIAMS, H.C. Is the prevalence of atopic dermatitis increasing? 385

WILLIAMS, H.C., ACLIMANDOS, W.A. and SALISBURY, J. Bilateral external chalazia presenting as granulomas of the lower eyelids, 441

WILSON, C. see MARREN, P.

WILSON JONES, E. see CERIO, R.

WILSON-JONES, E. see WILKINSON, S.M. WINKELMANN, R.K. see WILKINSON, S.M.

WOJNAROWSKA, F. see MARREN, P.

WOLF, P., CERRONI, L. and KERL, H. Mycosis fungoides mimicking perioral dermatitis, 132

WOLFF, K. The enigma of Kaposi's sarcoma: an answer at last?, 145

WOOLGAR, I. see MENDELSOHN, S.S.

YAMADA, N. see NISHIYAMA, Y.

YAMADA, O. see YAMASHITA, H.

YAMAGUCHI, H. see NISHIYAMA, Y. YAMASHITA, H., NAGAYAMA, M., KAWASHIMA, M., HIDANO, A., YAMADA, O. and MIZOGUCHI, H. Langerhans-cell histiocytosis in an adult patient with multiple myeloma, 275

YATES, V.M. Factitious purpura, 238

YOKOKAWA, M. see TANIGUCHI, S.

YOSHIDA, M. see HORIUCHI, Y.

YOUNG-KEUN, K., HONG-JIG, K. and KWANG-GIL, L. Acquired tufted angioma associated with pregnancy, 458

Yu, R.C.H. see TSELE, E.

ZAIAS, N. Clinical manifestations of onychomycosis (Suppl.), 6

ZANELLI, R. see BALDARI, U.

ZAUG, M. and BERGSTRAESSER, M. Amorolfine in the treatment of onychomycoses and dermatomycoses (an overview) (Suppl.), 61

ZAUG, M. see NOLTING, S.

ZAUG, M. see DEL PALACIO, A.

ZUMBRUNNEN, R. see RONCARI, G.